

SUPPLEMENT TO

The Gazette of India

No. 45] NEW DELHI, SATURDAY, DECEMBER 1, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd November, 1956.

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (C)								Bihar							
Andhra Pradesh															
Srikakulam	7	4	1	Patna	101	32
Visakhapatnam	1	1	Gaya	35	20
Godavari East	22	13	2	Shahabad	34	19
Godavari West	66	24	1	Saran	7	3
Krishna	2	2	Muzaffarpur	35	19
Guntur	6	1	Darbhanga	26	15
Nellore	9	2	Bhagalpur	41	13
Kurnool	2	..	15	2	Dhanbad	2
Khammam	12	1	TOTAL	281	121
Nalgonda	5	3	5	1	Total for w/e 27-10-56	629	250	17	5
Hyderabad	13	2	Total for w/e 20-10-56	359	126
TOTAL	102	44	67	11	Bombay							
Total for w/e 27-10-56	67	38	97	16	Greater Bombay	1
Total for w/e 20-10-56	70	38	90	17	Ahmedabad	1	1
Assam								Baroda	20	2
TOTAL	Amreli	9	3
Total for w/e 27-10-56	Ahmednagar	17	4
Total for w/e 20-10-56	5	2	Poona	1
								Nasik	25	4
								East Khandesh	25	5
								West Khandesh	6	1
								North satara	1	1
								South satara	4	2
								Sholapur	51	13
								TOTAL	119	27	42	9

Explanation of Symbols used : C.= Cases, D.= Deaths; ..= Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd November, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bombay—contd.								Orissa							
Total for w/e 27-10-56	211	56	19	5	Cuttack	119	62
Total for w/e 20-10-56	287	79	4	Balasore	3
Delhi								Puri	15	9	9
TOTAL	Baudh	3	2
Total for w/e 27-10-56	Ganjam	29	13
Total for w/e 20-10-56	1	Dhenkanal	2
Himachal Pradesh								Kecunjher	137	65
TOTAL	TOTAL	306	151	11
Total for w/e 27-10-56	1	Total for w/e 27-10-56	191	107	7	2
Total for w/e 20-10-56	Total for w/e 20-10-56	153	79	18
Kerala								Pondicherry							
Trivandrum	3	8	TOTAL	5	2
Quilon	7	Total for w/e 27-10-56	9	8
Malabar	9	5	Total for w/e 20-10-56	7	6
TOTAL	19	13	Punjab							
Total for w/e 27-10-56	15	9	TOTAL
Total for w/e 20-10-56	20	18	Total for w/e 27-10-56	1
Madhya Pradesh								Total for w/e 20-10-56
"N.R."								Rajasthan							
Madras								"N.R."							
Madras City	4	Tripura							
Chingleput	3	2	TOTAL
South Arcot	39	24	Total for w/e 27-10-56
Ramanatha Puram	9	1	Total for w/e 20-10-56
Tirunelveli	9	Uttar Pradesh							
North Arcot	7	Aligarh	6	2
Salem	11	5	Lucknow	1
TOTAL	82	32	TOTAL	7	2
Total for w/e 27-10-56	60	17	Total for w/e 27-10-56	6	2	1	2
Total w/e 20-10-56	115	34	Total for w/e 20-10-56	17	19	9
Manipur								West Bengal							
TOTAL	Burdwan	4	3
Total for w/e 27-10-56	Birbhum	3	3
Total for w/e 20-10-56	Bankura	1	1	2
Mysore								Hoogly	1
TOTAL	Howrah	5	3	7	3
Total for w/e 27-10-56	24-Parganas	47	8
Total for w/e 20-10-56	Calcutta	2	2	4	4
Nagaland								Nadia	3
TOTAL	Murshidabad	19	9	4	1
Total for w/e 27-10-56	..	2	3	1	..	Malda	43	25
Total for w/e 20-10-56	TOTAL	81	46	64	16

Explanation of symbols used: C=Cases; D=Deaths; ..=Nil; N. R.=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd November, 1956—concl'd.

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE			
—	C	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.
West Bengal—contd.							Rajasthan						
Total for w/e 27-10-56	109	58	12	13	For w/e 20-10-56						
Total for w/e 20-10-56	130	63	10	5	TOTAL						
Grand Total for India	896	391	290	83	TYPHUS						
Total for w/e 27-10-56	1213	505	240	79	3	1	Place	Period		Cases			
Total for w/e 20-10-56	1021	406	274	80	Greater Bombay	25-10-56		1 (Flea-borne)			
ARREAR INFORMATION							„	1-11-56		1 („)			
Manipur							POLIOMYELITIS						
for w/e 13-10-56							Information based on patients treated in hospitals in important towns)						
TOTAL	Place	Period		Cases Deaths			
Tripura							Uttar Pradesh 16—31 Oct. 56 3 (Paralytic)						
for w/e 13-10-56													
TOTAL							
Explanation of symbols used. C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.													

Explanation of symbols used. C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

NEW DELHI-2 (INDIA) ;

The 26th November, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

• 12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd November, 1956

Town	Mid-year Popn. Est. (000)	B.	Deaths from :—								Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.			
STATES (Parts A and C)													
Andhra													
Adoni	63	52	42.9	5	3	..	16
Anantpur	38	41	56.1	2	10	13.7	1
Anakapalli	46	18	20.3	6	2	1	1	16	18.1	3
Bhimavaram	36	10	14.4	1	7	10.1	3
Chirala	43	17	20.6	6	9	10.9	1
Chittoor	45	20	23.1	4	..	2	..	11	12.7	2
Cuddapah	42	64	79.2
Eluru	99	18	9.5	3	..	3	1	16	8.4	3
Gudivada	36	27	39.0	4	..	1	..	14	20.2	2
Guntur	147	118	41.8	5	2	3	1	2	14.9	14
Guntakal†
Kakinada	113	13	6.0	3	1	1	5.5	2
Kurnool	68	69	52.8	1	3	6	1	30	23.0	8
Masulipatnam	88	42	24.8	1	..	1	..	16	9.4	8
Nandyal	37	45	63.2	3	..	1	..	7	9.8	1
Nellore	95	49	26.8	5	2	25	13.7	6
Proddatur	42	22	27.2	1	2	..	8	9.9	3
Rajahmundry	122	54	23.0	2	..	1	..	16	6.8	3
Tenali	67	24	18.6	2	..	1	..	12	9.3	2
Vijayvada	201	58	15.0	9	1	1	..	27	7.0	8
Visakhapatnam	128	75	30.4	1	2	12	..	44	17.9	8
Vizianagaram	75	39	27.0	4	..	1	..	24	16.6	2
TOTAL	1,631	875	27.9	61	20	39	4	362	11.5	85
Assam													
Shillong	62	40	33.5	1	6	5.0	3
Gauhati	51	27	27.4	10	20	20.4	2
Dibrugarh	46	7	7.9
Silcher	43	4	4.8	3	2	1	..	12	14.5	2
TOTAL	202	78	20.1	14	2	1	..	38	9.8	7
Bihar													
Arrah†
Bihar	68	11	8.4	2	4	3.1	..
Bettiah†
Bhagalpur†
Chapra	69	38	28.6	4	17	12.8	4
Darbhanga	93	22	12.3	3	2	1	..	11	6.2	..
Dhanbad	41	28	35.5	9	11.4	..
Dinapur	44	9	10.6	2	3	3.6	..
Gaya	149	54	18.8	18	2	9	1	49	17.1	..
Hazaribagh	39	13	17.3	6	8.0	..
Jamalpur	47	6	6.6	1	3	3.3	..
Jamshedpur	246	121	25.6	6	2	..	18	3.8	5
Katihar	51
Monghyr	80	19	12.4	2	6	1	11	7.2	..
Muzaffapur	84	87	53.7	5	2	2	..	34	22.3	..
Patna	330	207	32.6	1	3	..	1	..	37	5.8	..
Purulia†
Ranchi	130	10	4.0	2	8	3.2	2
TOTAL	1471	625	22.1	3	42	17	15	1	212	7.5	11
Bombay													
Ahmedabad	889	654	38.2	..	1	..	6	6	35	..	185	10.8	60
Ahmednagar	88	79	46.6	14	8.1	..
Amalner	50	34	35.3	1	3	3.1	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infant Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd November, 1956—*contd.*

Town	Mid-year popn-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Baroda . . .	242	159	34.1	20	3	10	2	68	15.0	16	
Barsi . . .	46	26	29.4	3	7	3	2	..	26	29.4	4	
Bhusawal . . .	62	19	15.9	1	5	4.2	..	
Broach . . .	67	59	45.8	3	..	5	..	12	9.9	2	
Cambay . . .	41	28	35.5	1	..	6	7.6	1	
Chalisgaon . . .	35	25	37.1	3	5	7.4	..	
Dhulia . . .	89	63	36.8	7	..	3	..	16	9.3	4	
Godra . . .	40	15	19.5	2	3	3.9	..	
Greater Bombay . . .	3,449	2,020	30.5	2	20	104	2	596	8.9	131	
Jalgaon . . .	79	150	98.7	4	1	4	..	14	9.2	3	
Kalyan . . .	73	43	30.6	1	2	5	..	17	12.1	6	
Kolhapur . . .	159	63	20.6	5	..	21	6.9	1	
Malegaon . . .	63	28	23.1	1	6	7	5.8	1	
Miraj . . .	44	21	24.8	2	..	11	13.0	1	
Nadiad . . .	71	32	23.4	7	..	2	..	16	11.7	3	
Nandurbar . . .	35	37	55.0	1	..	1	..	6	8.9	..	
Nasik . . .	119	77	33.6	1	3	..	2	..	16	7.0	2	
Navasari . . .	50	28	29.1	4	..	1	..	9	9.3	4	
Pandharpur . . .	44	43	50.8	4	1	6	1	22	26.0	6	
Patan . . .	47	45	51.3	2	..	2	..	10	11.1	3	
Poona . . .	607	469	40.2	2	6	19	..	115	9.9	28	
Sangli . . .	58	33	29.1	2	12	10.8	3	
Satara . . .	40	27	35.1	4	..	14	18.2	3	
Sholapur . . .	299	216	37.6	20	14	46	..	156	27.1	26	
Surat . . .	250	204	42.4	8	4	13	..	81	16.8	24	
Thana . . .	61	29	24.7	3	..	3	..	17	14.5	4	
TOTAL	7,197	4,726	34.1	5	1	..	119	60	275	5	1,483	10.7	341	
Delhi State														
Delhi City . . .	1,124	576	26.6	62	3	24	..	145	6.7	35	
New Delhi . . .	374	402	55.8	1	2	4	..	105	14.6	27	
N.A.C. Civil Station Delhi	117	87	38.7	1	4	1	13	5.7	3	
Delhi Cantt. . .	50	18	18.7	
Delhi-Shahadara . . .	53	60	58.8	1	..	3	..	8	7.8	3	
TOTAL	1,718	1,143	34.5	64	6	35	1	271	8.2	68	
Kerala														
Alleppey . . .	148	29	10.2	1	9	3.2	5	
Changanacherry . . .	41	18	22.8	1	..	7	8.9	1	
Ernakulam . . .	70	44	32.7	2	..	1	..	8	13.4	1	
Kottayam . . .	50	21	21.8	1	1	..	6	6.2	..	
Mattanchery . . .	85	39	23.9	2	..	1	..	13	8.0	1	
Nagercoil† . . .														
Quilon . . .	75	56	38.8	2	..	7	4.8	2	
Trichur . . .	76	38	26.0	2	2	3	..	16	11.0	..	
Trivandrum City . . .	218	69	16.5	6	..	8	..	36	8.6	..	
TOTAL	763	314	21.4	12	4	17	..	112	7.6	10	
Madhya Pradesh														
"N.R."														
Madras														
Ambur† . . .														
Aruppukottai . . .	56	36	33.4	3	5	4	..	22	20.4		
Bodinayakanpur . . .	40	17	22.1	2	..	1	..	8	10.4		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infant deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd November, 1956—*contd.*

Town	Mid-year Popn, Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madras—contd.													
Chidambaram . .	39	32	42.7	10	13.3	4
Coimbatore . .	234	133	29.6	3	6	12	..	69	15.3	19
Cuddalore . .	74	48	33.7	1	..	2	2	15	10.5	1
Dindigul . .	90	29	16.9	3	..	3	..	28	16.4	4
Erode . .	67	37	28.7	1	1	1	..	15	11.6	3
Gobichetty Palyam	38	5	6.8	2	..	4	5.5	..
Guddiyattam . .	53	36	35.3	1	..	1	..	14	13.7	6
Kancheepuram . .	90	52	30.0	4	3	18	..	38	22.0	9
Karaikudi . .	44	35	41.4	4	9	10.6	3
Karur . .	50	6	6.2	1	..	2	..	5	5.2	1
Kumbakonam . .	105	33	16.3	2	..	1	..	18	8.9	3
Madras . .	1,703	911	27.8	..	1	..	45	99	156	3	547	16.7	158
Mathurai . .	427	291	35.4	8	11	31	3	146	17.8	38
Mayuram†													
Malapalyam . .	41	15	19.2	1	4	3.7	..
Nagapattinam . .	60	54	46.3	1	3	..	15	13.0	4
Ootacamund †													
Palni . .	40	21	27.3	1	2	6	..	16	20.8	4
Palayamkottai . .	45	45	52.0	3	12	13.8	3
Periyakulam . .	34	15	22.9	1	1	3	1	8	12.2	1
Pollachi . .	51	44	44.9	3	1	..	15	15.3	2
Pudukottai . .	50	32	33.3	3	..	1	1	12	12.5	..
Rajapalayam . .	69	35	26.4	2	1	4	1	19	14.3	3
Salem†													
Srirangam . .	42	16	19.8	3	1	13	16.0	2
Srivilliputtur . .	44	17	20.0	3	1	2	..	13	15.4	2
Tanjore . .	118	150	66.1	3	4	3	1	65	28.6	13
Tiruvannamalai . .	45	25	28.9	1	2	14	16.2	5
Tirunelveli . .	80	51	33.1	..	1	10	..	20	13.0	13
Tiruppur . .	63	62	51.1	2	1	5	..	16	13.2	2
Tiruchirappalli . .	251	109	22.6	3	3	8	2	57	11.8	7
Tuticorin . .	111	74	34.7	..	2	..	1	9	19	..	54	25.3	13
Vaniyambadi . .	43	16	19.3	3	3.6	2
Vellore . .	124	100	41.9	2	5	9	1	51	21.4	14
Villupuram . .	39	19	25.3	..	2	2	1	12	16.0	3
Virudunagar . .	53	45	44.1	2	10	9.8	1
TOTAL . .	4,513	2,646	30.5	..	6	..	107	161	310	16	1,377	15.9	348
Mysore													
Bhagalkot . .	36	29	41.8	4	9	13.0	..
Dharwar . .	76	38	26.0	17	11.6	..
Bangalore . .	977	266	14.2	2	19	21	..	127	6.8	..
Mysore . .	294	123	21.8	8	1	4	..	39	6.9	..
Hassan . .	30	8	13.9	6	10.4	..
Kolar Gold Field . .	173	106	31.9	3	6	4	..	29	8.7	..
Bellary . .	7	25	16.7	1	11	7.3	..
Davanagere . .	69	22	16.6	1	11	8.3	..
Hospet . .	45	4	4.6	1	..	1	1.2	..
Tumkur . .	44	2	2.4
TOTAL . .	1,822	622	17.8	19	26	30	..	250	7.1	..
Orissa													
Berhampur . .	72	40	29.0	3	3	1	..	13	9.4	3
Cuttack . .	117	124	55.3	8	5	7	..	48	21.4	7
Puri . .	53	38	37.4	15	7	1	..	40	39.4	9
TOTAL . .	242	202	43.4	26	15	9	..	101	21.7	19

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd November, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B. R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Rajasthan													
Alwar†													
Bharatpur	38	8	10.9	1	2	2.5	..
Bikaner	117	50	22.2	1	2	7	..	32	14.4	10
Churu	48	4	4.4	1	..	1	1.1	..
Ganganagar	47	2	2.2	6	1	..	1	14	15.5	..
Tonk	45
Kotah	72	22	15.9	11	..	1	..	13	9.4	1
Sikar†													
Jaipur	353	60	8.8	26	11	14	3	88	13.2	32
Udaipur	106	6	2.9	..	1	..	1	5	2.5	1
Jodhpur†													
TOTAL	826	152	9.6	..	1	..	46	14	23	4	155	9.8	44
Punjab													
Ambala	65	56	44.7	3	5	4	..	20	16.0	5
Amritsar	343	262	39.8	1	3	24	1	67	10.2	16
Batala	62	40	33.5	1	1	1	..	9	7.6	1
Bhiwani	57	33	30.1	7	2	10	9.2	2
Perozepore	45	33	38.1	3	2	6	7.0	1
Hissar	39	36	48.0	3	6	8.0	1
Hoshiarpur	51	16	16.4	4	..	3	..	12	12.3	3
Jullundur	200	118	30.6	9	5	4	..	24	6.3	9
Karnal	72	42	30.4	7	..	1	..	13	9.4	2
Ludhiana	176	144	42.7	13	24	7.0	5
Moga†													
Patna†	64	37	30.2	9	1	3	..	14	11.4	5
Pathankot	34	18	27.5	1	1	1.5	..
Rewari	50	24	34.6	2	4	5.7	1
Rohtak	105	36	17.9	3	10	5.0	4
Simla†													
Sonapat	34	31	47.6	1	3	4.6	3
TOTAL	1,383	926	34.8	67	19	40	1	223	8.4	58
Uttar Pradesh													
Agra	375	275	38.2	4	6	44	..	86	12.0	27
Allahabad	349	200	30.0	3	4	16	..	50	7.5	8
Amroha	61	55	47.1	6	4	4	..	32	27.4	9
Bahraich†													
Banaras	383	311	42.4	34	4	8	..	115	15.6	29
Balla	35	5	7.4	2	1	3	4.5	..
Banda	32	18	29.3	1	..	1	1.6	..
Barilly	203	84	21.6	8	1	14	..	24	6.2	3
Budoun													
Basti†	54	35	33.7	4	1	1	..	10	9.5	4
Bulandshahr†													
Chandausi	41	32	41.3	4	1	3	..	10	13.4	2
Dehra Dun	146	58	20.7	2	1	2	..	13	4.6	..
Etawah	64	52	42.5	5	3	2	..	18	14.6	2
Falzarabad-Ayodhya	88	39	23.2	2	..	1	..	9	5.3	4
Farrukhabad-Patehgarh	82	37	23.4	5	1	3	..	17	10.8	3
Ferozabad	79	40	26.5	4	1	1	..	10	6.6	2
Ghaziabad	46	33	37.4	4	6	6.8	2
Gazipur	36	21	30.3	6	14	20.2	..
Gorakhpur	140	64	23.8	8	2	1	..	19	7.0	6

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd November, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—contd.													
Gonda	35	15	22.4	1	1	6	9.0	1
Hapur	49	30	32.0	5	..	1	..	6	6.4	2
Hardwar	64	39	31.8	9	7	3	..	21	17.0	10
Hathras	62	60	50.6	9	3	1	..	15	12.6	5
Jaunpur	56	25	23.3	3	..	4	..	11	10.3	1
Jhansi	116	73	32.8	13	1	2	..	30	13.5	6
Kanpur	734	497	35.4	146	23	46	9	384	27.3	55
Kasganj	34	15	23.0
Khurja	41	24	30.3	4	3	2	..	11	14.0	2
Koil-Aligarh	150	56	19.3	5	3	4	..	19	6.6	9
Lucknow	494	361	38.0	13	4	8	..	99	10.5	25
Mathura	110	124	58.7	11	..	5	..	27	12.8	9
Mau-Nath Bhanjant†													
Meerut	185	177	50.0	8	2	10	..	24	6.8	9
Mirzapur Vindhyachal	97	60	32.3	7	2	16	8.6	6
Moradabad	164	170	54.0	10	5	10	1	40	12.6	11
Muzaffarnagar	74	36	25.3	2	1	1	..	8	5.6	2
Pilibhit†													
Rampur†													
Saharanpur	162	122	39.4	20	2	1	..	30	9.7	12
Sambhal	65	59	47.2	5	2	5	..	19	15.3	7
Shahjahanpur													
Sitapur	49	12	13.0	4	..	1	..	8	8.2	3
TOTAL	4,955	3,314	34.8	375	88	206	11	1,211	12.7	316
West Bengal													
Asansol†													
Baldyabati.	33	17	26.7	2	4	6.3	2
Bally	66	9	7.0	1	1	..	1	..	4	3.2	..
Bankura	50	15	15.6	5	5.2	..
Bansberia†													
Baranagar	90	48	27.7	3	..	6	1	17	9.9	5
Basirhat	39	5	6.7	1	1	..	3	4.0	1
Berhampur	64	82	67.0	1	2	1	..	12	9.6	3
Bhadreshwar	34	6	9.2	1	4	6.2	1
Bhatpara	143	44	16.1	11	2	2	1	36	13.2	..
Budge-Budge	32	2	3.3	1	1	3	..	6	9.7	..
Burdwan	82	11	7.0	1	1	..	8	5.1	..
Calcutta	2,984	1,792	31.3	2	4	..	32	158	142	1	688	12.0	206
Champdani	41	20	25.5	1	1.3	..
Cooch Behar†													
Darjeeling†													
English-Bazar	36	2	2.9
Garden Reach	124	17	7.2	1	..	2	..	8	3.4	2
Halisahar	41	1	1.3	1	1.3	1
Hooghly-Chinsurah	60	69	60.1	7	4	3	1	19	16.6	4
Howrah	477	163	17.7	1	5	8	31	..	110	12.1	50
Jalpaiguri	49	34	36.2	4	..	2	..	8	8.5	..
Kamarhati†													
Kanchrapara	74	10	7.1	1	1	0.7	..
Krishnagar	56	3	2.8	1	0.9	..
Midnapore	45	27	31.4	1	7	8.1	..
Nabadwip†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death Rates ; I. D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd November, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>													
Naihati	62	8	6.7	1	1	..	4	3.4	..
North Barrackpore†	65	5	4.0	1	..	1	..	9	7.2	2
Panihati	49	21	22.4	1	..	5	5.3	..
Shantipur	83	52	32.8	1	1	1	2	24	15.1	13
Serampore	44	27	32.1	2	2.4	..
Siliguri	83	4	2.5
South Dum Dum . .	124	52	21.9	..	1	..	1	..	6	..	14	5.9	5
South Suburban . .	78	22	14.7	15	1	3	1	21	14.1	2
Titagarh													
TOTAL	5,208	2568	25.6	4	5	..	80	83	208	7	1,022	10.2	297

ARREAR-RETURNS

For w/e 27-10-56

Asansol†													
Baidyabti	33	24	38.0	6	9.5	3
Bally	66	17	13.5	1	..	1	..	2	1.6	..
Bankura†													
Bansberia†													
Baranagar	90	71	41.2	1	1	5	..	15	8.6	3
Basirhat	39	10	13.4	1	1.3	..
Berhampur	64	65	53.1	2	2	18	14.7	2
Bhadreswar	34	13	20.0	2	..	6	9.2	1
Bhatpara	143	63	23.0	15	..	4	1	32	11.7	10
Budge Budge . . .	32	11	18.0	3	4	..	9	14.7	..
Burdwan	82	7	4.5	..	1	..	1	1	1	..	6	3.8	..
Calcutta	2,984	1,826	32.0	3	3	..	24	42	112	3	617	10.8	177
Champadan†	41	73	93.0	4	5.1	..
Cooch Bihar†													
Darjeeling†													
English Bazar . .	36	4	5.8	1	1.5	..
Garden Reach . .	124	17	7.2	..	1	..	4	9	3.8	2
Halisahar	41	9	11.5	3	3.8	1
Hoogly-Chinsurah .	60	80	69.7	1	2	1	..	10	8.7	1
Howrah	477	238	26.0	1	3	..	6	15	21	1	129	14.1	..
Jalpaiguri	49	54	57.6	3	1	16	17.1	..
Kamarhati†													
Kanchrapara . . .	74	19	13.3	2	..	2	1.4	..
Krishnagar	56
Midnapore	45	61	70.8	2	..	1	..	19	22.1	..
Nabadwip	70	43	32.0	5	11	7	2	..	29	21.7	1
Naihati	62	11	9.1	5	1	2	..	11	9.3	..
North Barrackpore .	36	10	14.3	1	..	3	4.4	..
Panihati	65	4	3.2	1	2	15	12.1	5
Shantipur	49	65	69.4	2	..	7	7.5	1
Serampore	83	61	38.4	3	2	3	1	21	13.2	6
Siliguri													
South Dum Dum . .	83	3	1.9
South Suburban . .	124	25	10.5	3	2	3	..	14	5.9	2
Titagarh	78	37	24.8	8	1	2	..	12	8.0	2
TOTAL	5,218	2,921	29.2	9	8	..	91	82	169	6	1,017	10.1	217

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd November, 1956—*contd.*

Deaths from															
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Bihar				For w/e 27-10-56											
Arrah†	68	58	44.4	5	3	12	9.2	..		
Bihar															
Bettiah†															
Bhagalpur†	69	38	28.6	2	12	..	1	33	24.9	3		
Chapra	93	23	12.9	4	1	1	..	10	5.6	1		
Darbhanga															
Dhanbad	41	13	16.5	2	..	1	..	7	8.9	..		
Dinapur	44	4	4.7	1	3	6	7.1	..		
Gaya	149	34	11.9	12	1	7	..	27	9.4	..		
Hazaribagh	39	18	24.0	10	13.3	7		
Jamalpur	47	24	26.6	1	1	5	5.5	..		
Jamshedpur	246	131	27.7	1	..	1	..	13	2.8	1		
Katihar	51		
Monghyr	80	24	15.6	3	2	..	4	15	9.8	..		
Muzaffarpur	84	18	11.1	3	2	1	..	17	10.5	..		
Patna	330	216	34.0	1	5	33	5.2	..		
Ranchi	130	24	9.6	9	1	20	8.0	5		
TOTAL	1,471	625	22.1	4	2	..	48	21	12	4	208	7.4	17		
Uttar Pradesh				For w/e 4-2-56											
Basti	38	12	16.5	1	3	4.1	1		
Bulandshahr	42	2	2.5	3	3	3.7	2		
Rampur	158	4	1.3	1	..	2	..	3	1.0	1		
				For w/e 11-2-56											
Basti	38	7	9.6	3	3	4.1	1		
Bijnor	32	16	25.1	1	..	3	..	4	6.5	1		
Bulandshahr	42	21	26.0	2	2	2.5	1		
Etawah	64	54	44.1	5	..	4	..	14	11.4	3		
Lucknow	494	439	46.5	14	7	28	..	122	12.9	51		
Maunath Bhanjan	38	20	27.5	..	24	..	3	29	39.9	9		
Mirzapur	97	49	26.4	13	..	2	1	32	17.2	10		
Rampur	158	6	2.0	3	..	1	..	5	1.6	..		
				For w/e 18-2-56											
Basti	38	9	12.4	6	7	9.6	1		
Bulandshahr	42	2	2.5	1	1	1.2	..		
Rampur	158	4	1.3	1	..	1	0.3	..		
				For w/e 25-2-56											
Basti	38	5	6.9	1	2	2.7	..		
Bulandshahr	42	14	17.4	2	4	5.0	1		
Etawah	64	35	28.6	4	..	4	..	14	11.4	3		
Rampur	158	11	3.6	2	0.7	1		
Hyderabad				For w/e 27-10-56											
Hyderabad City	1,057	441	21.7	23	6	14	2	155	7.6	22		
Secunderabad City	162	130	41.7	..	1	..	2	4	8	..	45	14.4	8		
Warangal	155	14	4.7	5	11	3.7	..		
Aurangabad	73	11	7.8	3	1	6	4.3	..		
Nanded	80	22	14.3	2	..	3	..	5	3.3	..		
Latur	41	1	1.3	2	2	2	..	5	6.3	..		
TOTAL	1,568	619	20.5	2	1	..	35	12	27	3	227	7.5	30		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used: B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Inform.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd November, 1956—concl'd.

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Assam														
For w/e 6-10-56														
Shillong	62	33	27.7	2	..	1	..	6	5.0	..	
Gauhati	51	12	12.2	2	2	..	1	9	9.1	1	
Silchar	43	10	12.1	1	..	1	..	10	12.1	..	
TOTAL	156	55	18.3	5	2	2	1	25	8.3	1	
For w/e 13-10-56														
Shillong	62	36	30.2	1	7	5.9	6	
For w/e 20-10-56														
Shillong	62	
For w/e 27-10-56														
Shillong	62	38	31.9	1	6	5.0	2	
Bhopal														
For w/e 27-10-56														
Bhopal	116	37	16.6	1	..	2	..	4	1.8	..	
Punjab														
For w/e 13-10-56														
Simla	50	25	26.0	3	3.1	1	
For w/e 20-10-56														
Simla	50	44	45.7	1	..	1	..	7	7.2	2	
Uttar Pradesh														
For w/e 7-1-56														
Basti	38	14	19.3	1	1	1.4	..	
Bulandshahr	42	8	9.9	2	3	3.7	1	
Rampur	158	1	0.3	..	
For w/e 14-1-56														
Banda	32	7	11.4	1	2	3.3	..	
Basti	38	10	13.7	3	3	4.1	..	
Bulandshahr	42	13	16.2	3	3.7	2	
Firozabad	79	18	11.8	1	..	3	1.8	..	
Rampur	158	56	18.3	1	1	0.3	..	
For w/e 21-1-56														
Basti	38	8	11.0	1	..	1	..	1	1.4	..	
Bijnor	32	15	24.5	1	2	3.3	..	
Bulandshahr	42	1	1.2	2	3	3.7	..	
Rampur	158	13	4.3	
For w/e 28-1-56														
Basti	38	5	6.9	
Bijnor	32	25	40.8	3	..	4	6.5	2	
Bulandshahr	42	16	19.9	1	1	2	2.5	..	
Mau Nath Bhanjan	38	22	30.3	..	13	..	5	24	33.0	3	
Rampur	158	2	0.7	1	..	1	0.3	..	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

REMARKS

The figures of births and deaths of India shown in this statement for week ending the 3rd November, 1956 relate to 217 towns with an estimated population of 31,931 thousands. Information about Madhya Pradesh could not be included. The total number of towns is 318 and their population is 41,584. Thus 68% of the total number of towns representing 77% of the total population is covered in this state-

ment. The number of births and deaths recorded in these towns were 18,191 and 6,817 representing birth and death rates of 29.6 and 11.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population. The following table gives the position by States.

States	Current w/c 3-11-1956		Corresponding w/c last year	
	B. R.	D. R.	B. R.	D. R.
Andhra Pradesh .	27.9	11.5	53.3	17.1
Assam . . .	21.1	9.8	†	†
Bihar . . .	22.1	7.5	21.0	6.0
Bombay . . .	34.1	10.7	40.4	13.2
Delhi . . .	34.5	8.2	46.6	9.2
Kerala . . .	21.4	7.6	40.8	8.7
Madras . . .	30.5	15.9	56.4	18.3
Mysore . . .	17.8	7.1	35.9	11.4
Orissa . . .	43.4	21.7	52.0	18.4
Rajasthan . .	9.6	9.8	17.6	11.9
Punjab . . .	34.8	8.4	50.1	10.5
Uttar Pradesh .	34.8	12.7	43.9	14.9
West Bengal . .	25.6	10.2	29.9	11.0
India* . . .	29.6	11.1	41.5	13.1

*12 Part 'A' States and 1 Part 'C' State.

†Figures not available.

NEW DELHI-2 (INDIA) ;
The 26th November, 1956.

K. MITRA,
for Registrar General, India